

# MICROSEISMIC MONITORING PROJECT, IGNACE AREA

*Annual Event Summary Report (January 1, 2022 -  
December 31, 2022)*

**APM-REP-01332-0422**

**April 2023**

## **Nanometrics**

**nwmo**

NUCLEAR WASTE  
MANAGEMENT  
ORGANIZATION

SOCIÉTÉ DE GESTION  
DES DÉCHETS  
NUCLÉAIRES

This report has been prepared under contract to NWMO. The report has been reviewed by NWMO, but the views and conclusions are those of the authors and do not necessarily represent those of the NWMO.

All copyright and intellectual property rights belong to NWMO.

**Nuclear Waste Management Organization**

22 St. Clair Avenue East, 4<sup>th</sup> Floor  
Toronto, Ontario  
M4T 2S3  
Canada

Tel: 416-934-9814  
Web: [www.nwmo.ca](http://www.nwmo.ca)



# Revell Site Microseismic Monitoring Project

Annual Event Summary Report  
(January 1, 2022 - December 31, 2022)

Prepared for



NUCLEAR WASTE  
MANAGEMENT  
ORGANIZATION

SOCIÉTÉ DE GESTION  
DES DÉCHETS  
NUCLÉAIRES


**Revell Site Microseismic Monitoring Project  
Annual Event Summary Report  
(January 1, 2022 - December 31, 2022)**

**Nanometrics Document Number: NMX-NWMO-AESR-2022**


**Revision: R3.1**

**NWMO Document #: APM-REP-01332-0422**


**Prepared By:**

<b>Name:</b>	Krista Kaski	
<b>Position:</b>	Geophysicist and Team Lead, Data Center Solutions	
<b>Department / Company:</b>	Seismic Monitoring Services / Nanometrics	

**Prepared By:**

<b>Name:</b>	Alberto Vivas	
<b>Position:</b>	Team Lead, SMS Field Operations	
<b>Department / Company:</b>	Seismic Monitoring Services / Nanometrics	

**Approved By:**

<b>Name:</b>	Eugen Besoiu	
<b>Position:</b>	Senior Manager, Data Services and Operations	
<b>Department / Company:</b>	Seismic Monitoring Services / Nanometrics	



### Revision Summary

Rev	Date	Authors	Comments
R1.0	2023-01-31	Krista Kaski, Alberto Vivas, Eugen Besoiu	Initial issue
R2.0	2023-03-14	Krista Kaski, Alberto Vivas, Eugen Besoiu	Second issue, minor updates
R3.0	2023-04-03	Krista Kaski, Alberto Vivas, Eugen Besoiu	Third issue, minor updates
R3.1	2023-04-19	Nathan Hermawan, Eugen Besoiu	Added in NWMO Station Maintenance Visits table

**ATTENTION: PLEASE READ CAREFULLY.**

The information contained in this document is intended to report and provide insights for the use of the recipient organization, the Nuclear Waste Management Organization ("NWMO"), who accepts full responsibility for its use. Recipient organization acknowledges that the overall outputs contained in this document must be considered estimates by their nature, as they are dependent upon measurements and mathematical models with varying levels of inherent uncertainty and assumptions that are typical of empirical and statistical analysis. The findings in this document should be assessed as a whole and any attempt to rely on partial analysis or summary descriptions in this document could lead to undue emphasis on particular factors or inaccurate conclusions.

Except as may otherwise have been agreed to between Nanometrics Inc. ("Nanometrics") and NWMO, Nanometrics specifically disclaims any other representations or warranties, express and/or implied, with respect to the report and any information contained therein. Nanometrics makes no representations or warranties, express or implied, to any third party (other than NWMO) with respect to this document and the information contained herein, including, but not limited to any warranties of merchantability, merchantable quality or fitness for a particular purpose. In no event will Nanometrics, or its partners, suppliers, employees or agents, be liable to any third party (other than NWMO) for any loss, damage, cost or expense of any kind, including any direct, consequential, special or other damages, arising in connection with this document or the information contained herein, including with respect to any use of, reliance upon, or decision made or action taken based on this document or any information contained herein.

## Table of Contents

<b>Abbreviations</b>	<b>3</b>
<b>1. Introduction</b>	<b>4</b>
<b>2. Network Operations</b>	<b>5</b>
2.1. Seismic Monitoring Network	5
2.2. Operational Statistics and Maintenance Records	7
2.3. Station State of Health Summary	14
<b>3. Seismic Data Processing</b>	<b>15</b>
3.1. Automatic Event Detection	15
3.2. Manual Review	16
<b>4. Network Performance</b>	<b>18</b>
<b>5. Seismic Velocity Model</b>	<b>19</b>
5.1. 3D Velocity Model	20
5.2. 1D Velocity Model	22
<b>6. Seismic Activity within the AOI</b>	<b>24</b>
<b>7. Anthropogenic Activity</b>	<b>26</b>
<b>8. Event Location Accuracy</b>	<b>28</b>
<b>9. Magnitude of Completeness</b>	<b>30</b>
<b>10. Data Delivery</b>	<b>32</b>
<b>11. Summary</b>	<b>32</b>
<b>12. References</b>	<b>34</b>
<b>Appendix A: Daily Station Data Availability</b>	<b>36</b>
<b>Appendix B: Waveforms of Earthquakes Detected within the AOI</b>	<b>55</b>
<b>Appendix C: CHIS Events (January 1, 2022 - December 31, 2022)</b>	<b>80</b>

## Abbreviations

**AOI:** Area of interest for the Microseismic Monitoring Program to detect and quantify microseismicity approximately 50 km around the Revell Site

**APM:** Adaptive Phased Management

**CF:** Characteristic function for trigger detection algorithm

**CHIS:** Canadian Hazard Information Service

**IRIS:** Incorporated Research Institutions for Seismology

**Mc:** Magnitude of completeness for the monitoring network

**ML:** Local magnitude scale

**MSL:** Mean sea level datum

**NWMO:** Nuclear Waste Management Organization

**Program:** Microseismic monitoring program for the Revell Site

**SNR:** Signal to noise ratio

**STA/LTA:** Short-time average through long-time average trigger detection algorithm

**V<sub>p</sub>:** Seismic propagation velocity of P-waves

**V<sub>s</sub>:** Seismic propagation velocity of S-waves

**WGS84:** World Geodetic System (1984)

## 1. Introduction


The Nuclear Waste Management Organization (“NWMO”) is responsible for implementing Adaptive Phased Management (“APM”), Canada’s plan for the long-term management of used nuclear fuel. The ultimate objective of APM is the centralized containment and isolation of used nuclear fuel in a deep geological repository located at a safe site in an informed and willing host community.

The Microseismic Monitoring Program (“Program”) at the Revell Site is part of Phase 2 Geoscientific Preliminary Field Investigations of the NWMO’s APM Site Selection phase. The objective of the Program is to install a network of nine seismic stations (broadband seismometers) and provide continuous monitoring and reporting of earthquake activity for an Area of Interest (“AOI”) around the potential repository area (i.e., Revell Site) located in the northwestern portion of the Revell batholith (Figure 1). The Program seeks to develop the ability to detect and quantify microseismicity within a predefined region approximately 50 km around the Revell Site (Figure 2).

Nanometrics was contracted by NWMO for the implementation of the Program. Work activities that have been included in the Program are:

- Design of seismic monitoring network,
- Initial field assessments of station locations,
- Installation and maintenance of stations,
- Data acquisition, archiving and processing, and
- Annual cataloging of data and seismic events detected in the AOI.

This report is prepared by Nanometrics. It includes an annual summary of the Program for activities performed in 2022 regarding network operations, seismic data processing and event detection. An overview of work done for the derivation of a velocity model as well as the assessment of event location accuracy and network magnitude of completeness are also presented in this report.



**Figure 1.** Bedrock map of the Revell Site. Black circles show the surface collar locations of drilled NWMO boreholes (Parmenter et al., 2020)

## 2. Network Operations

A summary of operational activities, including the installation and maintenance of the monitoring network as well as the statistics on the station state of health and data completeness are presented in this section.

### 2.1. Seismic Monitoring Network


NWMO seismic monitoring network consists of nine stations (broadband seismometers), all located inside the AOI. Seven of these stations stream data in real-time. Two stations (IG.SEI04 and IG.SEI08) record data in offline mode (i.e., no data transmission) due to lack of



cellular connectivity in the area. Waveform data recorded at these two offline stations are collected with quarterly site visits and are incorporated into the data processing for detection of any additional earthquakes. The station locations are shown in Figure 2.

There are four additional stations from public seismic monitoring networks in the area:

- CN.ATKO, CN.EPLO, CN.SOLO from the Canadian National Seismograph Network, and
- US.EYMN from the United States National Seismic Network



**Figure 2.** Locations of NWMO stations within the AOI. Public stations from national seismic networks incorporated into the Program are also shown. Microseismic Boundary represents the 50 km area around the Revell Site for microseismic monitoring. NWMO Area of Interest (AOI) represents the area defined by NWMO for detection, manual review and reporting of seismic activity.

These four public stations are also included in the Program. Their waveform data are

streamed from the Incorporated Research Institutions for Seismology (“IRIS”) and included in the data processing for event detection.

## 2.2. Operational Statistics and Maintenance Records

The first NWMO station (IG.SEI05) was installed close to one of the drilled boreholes, near the center of the network, on November 3rd, 2020. The site surveys for the remaining eight stations were completed in November 2020. They were installed in July 2021. The monitoring network consisted of one NWMO station (IG.SEI05) and four public stations until then. Table 1 shows the installation dates for NWMO stations.

**Table 1.** Installation dates of NWMO stations

Station	Installation Date
IG.SEI05	2020-11-03
IG.SEI07	2021-07-05
IG.SEI02	2021-07-06
IG.SEI03	2021-07-07
IG.SEI08	2021-07-08
IG.SEI01	2021-07-09
IG.SEI06	2021-07-10
IG.SEI09	2021-07-11
IG.SEI04	2021-07-12

Tables 2 and 3 show a summary of station maintenance activities performed in 2022 by either Nanometrics and NWMO teams. Detailed station maintenance records were delivered to NWMO as they occurred. NWMO has taken the ownership of maintenance visits to replace drained batteries due to winter conditions.



**Table 2.** NWMO Station Maintenance Visits performed by the Nanometrics Team

Date	Station	Notes
2022-05-25	IG.SEI02	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts. The booster power supply was disconnected from the solar regulator during the visit. The addition of a battery bank was recommended.
2022-05-26	IG.SEI05	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts.
2022-05-27	IG.SEI04	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts. The replacement of the solar regulator was recommended.
2022-05-27	IG.SEI09	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts. The booster power supply was disconnected from the solar regulator during the visit and a new GPS antenna was installed.
2022-05-28	IG.SEI01	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts. The booster power supply was disconnected from the solar regulator during the visit. The addition of a battery bank was recommended.
2022-05-28	IG.SEI06	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts. The booster power supply was disconnected from the solar regulator during the visit.
2022-05-29	IG.SEI07	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts.
2022-05-30	IG.SEI03	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts. The booster power supply was disconnected from the solar regulator during the visit.

2022-05-30	IG.SEI08	General maintenance visit to perform a power consumption inspection as well as to change the solar panel angles and modify the solar panel mounts.
2022-11-15	IG.SEI01	Installation of a battery bank consisting of (6) new batteries, and an enclosure.
2022-11-15	IG.SEI04	The solar regulator was replaced.
2022-11-16	IG.SEI02	Installation of a battery bank consisting of (6) new batteries, and an enclosure.

**Table 3.** NWMO Station Maintenance Visits performed by the NWMO Team

Date	Station	Changes Made
2021-12-01	IG_SEI03	Cleared snow off panel.
2021-12-01	IG_SEI08	Cleared snow off panel, inspected broken guy wires.
2021-12-01	IG_SEI02	Cleared snow off panel.
2021-12-14	IG_SEI02	Cleared snow off panel, adjusted solar panel to maximum slope angle, fixed broken guy wires, replaced batteries with new charged ones, and disconnected cellular booster.
2021-12-14	IG_SEI08	Cleared snow off solar panel, downloaded data from SD card.
2021-12-15	IG_SEI09	Cleared snow off solar panel, removed damaged / bent cellar antenna, fixed broken guy wires and tighten loose ones, replaced batteries with charged ones, disconnected cellular booster.
2021-12-17	IG_SEI05	Cleared snow off the solar panel.
2021-12-17	IG_SEI01	Cleared snow off solar panel, replaced batteries with charged ones, disconnected cellular booster.
2021-12-20	IG_SEI03	Cleared snow off solar panel, replaced batteries with charged ones, disconnected cellular booster.
2021-12-22	IG_SEI07	Replaced Batteries, Cleared snow off panels, Adjusted solar panel angle from 45 degrees to 19.7 degrees.

2021-12-23	IG_SEI06	Replaced Batteries, disconnected cellular booster, cleared snow off panels, adjusted solar panel angle from 46 degrees to 27.1 degrees (maximum slope possible with the current bracket).
2022-01-05	IG_SEI05	Cleared snow off of the solar panel.
2022-01-05	IG_SEI02	Cleared snow off of the solar panel.
2022-01-09	IG_SEI02	Cleared snow off of the solar panel.
2022-01-12	IG_SEI03	Cleared snow off of solar panel, replaced batteries.
2022-01-13	IG_SEI01	Cleared snow off of solar panel, replaced batteries.
2022-01-18	IG_SEI08	Cleared snow off of solar panel, retrieved data, adjusted panel from 45 degrees to 28.2 degrees.
2022-01-25	IG_SEI09	Cleared snow off of the solar panel, checked battery level and data transmission status, adjusted panel from 45.5 degrees to 27.8 degrees.
2022-01-27	IG_SEI04	Cleared snow off of solar panel, adjusted panel from 45 degrees to 25 degrees, retrieved media from centaur and replaced with empty media card
2022-02-06	IG_SEI02	Cleared snow off of the solar panel.
2022-02-10	IG_SEI06	Replaced batteries with charged ones and cleaned snow off of solar panels.
2022-02-16	IG_SEI03	Cleared snow off of the solar panel, replaced batteries, adjusted solar panel from 45.6 degrees to 23.7 degrees.
2022-02-21	IG_SEI03	Cleared snow off of the solar panel, adjusted the solar panel from 50.4 degrees to 28.8 degrees, placed cable clamps on 3 guy wires for Yagi antenna.
2022-03-06	IG_SEI03	Checked solar panel for snow. No snow observed on panel.
2022-03-11	IG_SEI08	Changed SD card for a new one.
2022-03-11	IG_SEI03	Changed two batteries with charged ones. Breaker for the solar panel was "Off". Turned breaker back "On".

2022-03-30	IG_SEI04	Retrieved data.
2022-04-07	IG_SEI08	Retrieved data.
2022-05-03	IG_SEI08	Retrieved data.
2022-05-05	IG_SEI04	Retrieved data.
2022-07-04	IG_SEI04	Retrieved data.
2022-07-11	IG_SEI08	Retrieved data.
2022-08-06	IG_SEI08	Retrieved data.
2022-08-07	IG_SEI04	Retrieved data.
2022-09-24	IG_SEI02	Added rigid insulation under batteries, checked functionality of unit, pruning as viable.
2022-09-25	IG_SEI07	Added rigid insulation on sides base and front of batteries, checked functionality, pruned as viable.
2022-09-26	IG_SEI04	Added rigid insulation on the sides base and front of batteries. Excavated a larger post hole and added two bags of mixed concrete. Checked functionality, CHARGER error. Unit was throwing an error code (one flashing red) and battery status indicators were flashing Green and Red then yellow. After resetting the breaker, the charger still showed an error code but battery status was solid Green. Passed information along to PM.
2022-09-26	IG_SEI09	Added rigid insulation on sides, base and front of batteries. Checked functionality, no issues
2022-09-27	IG_SEI03	Added insulation on sides, base and front of batteries. Checked functionality, no issues.
2022-09-27	IG_SEI09	Added insulation on sides, base and front of batteries. Checked functionality, no issues.
2022-09-27	IG_SEI06	Added insulation on sides, base and front of batteries. Changed out GPS antenna, no issues with change, unit operational and confirmed by Nanometrics. Checked functionality, no issues. Pruned as viable.

2022-09-28	IG_SEI01	Added insulation on sides, base and front and top of batteries. Checked functionality, no issues. Pruned area as viable.
2022-09-28	IG_SEI05	Added insulation on sides, base and front and top of batteries. Checked functionality, no issues. Pruned area as viable.
2022-10-04	IG_SEI08	Retrieved data
2022-10-05	IG_SEI04	Retrieved data
2022-11-04	IG_SEI04	Retrieved data
2022-11-03	IG_SEI08	Retrieved data
2022-11-15	IG_SEI01	Visited the station with Nanometrics. They installed 6 additional 12v batteries in a battery box on the ground at the base of the post.
2022-11-15	IG_SEI04	Visited the station with Nanometrics. They replaced the charging module and downloaded data.
2022-11-16	IG_SEI01	Visited the station with Nanometrics. They installed 6 additional 12v batteries in a battery box on the ground at the base of the post. Added side insulation to the post box.
2022-11-30	IG_SEI08	Downloaded and transmitted data.
2022-12-01	IG_SEI04	Downloaded and transmitted data.
2022-12-14	IG_SEI07	Replaced batteries with charged ones. Cleaned minor snow off the panels, but it was shedding snow well on its own. The station has had lower charge rates than other stations. This may be due to its installation in the shadow area of the forest, or due to the new antenna that was installed.
2023-01-10	IG_SEI07	Replaced batteries with charged ones and downloaded data. The panel was clear of snow. Cut down several saplings that may have blocked out the sun from hitting the solar panel.

2023-02-05	IG_SEI04	Downloaded and transmitted data.
2023-02-06	IG_SEI08	Downloaded and transmitted data.
2023-03-01	IG_SEI03	Station not communicating with the network or uploading data. Upon inspection it was observed that the antennae buckled and fell over. Several guy wires were damaged as well from the antennae falling over. One wire was snapped, and another was missing the yellow plastic guard. Guy wires appeared to still be attached to the ground anchors. Upon inspection of the control box, all lights were green and batteries were charged.
2023-03-02	IG_SEI03	Retrieved data.
2023-03-03	IG_SEI03	Reattached antenna to mast of seismic station. The Antenna is now lower than previously. Removed the buckled mast with a hacksaw and took offsite. Station still not communicating on its own.
2023-03-10	IG_SEI03	Further troubleshooting connectivity issues, it was observed that the fuse that connects the motherboard to the Centaur unit had been switched to the off position. Power was restored to the modem and connectivity issues were resolved.
2023-04-11	IG_SEI08	Retrieved data.

### 2.3. Station State of Health Summary

Nanometrics actively monitors the state of health for streaming stations. If cellular connection to a station is lost temporarily (i.e., no data transmission), the station will continue recording data, as long as it maintains battery life. When the connection is restored, data transfer continues and the incomplete data is automatically filled, typically allowing for the continuation of 100% data collection. Stations were installed in remote areas and are working on batteries with the help of solar panels. No data can be recorded and transmitted when a station goes down due to low or no power. This is generally experienced in winter months when solar panels are covered with snow and batteries are not recharged. Table 4 shows the station data availability (in percent) from January 1 -

December 31, 2022, on a monthly basis. Tables provided in Appendix A show data availability on a daily basis.

**Table 4.** Station data availability (in percent) from January 1 - December 31, 2022.

Station	Jan-2022	Feb-2022	Mar-2022	Apr-2022	May-2022	Jun-2022
IG.SEI01	91	97	100	100	100	100
IG.SEI02	100	100	100	100	100	100
IG.SEI03	100	84	100	100	100	100
IG.SEI04	100	100	100	100	100	100
IG.SEI05	100	100	100	100	100	100
IG.SEI06	100	100	100	100	100	100
IG.SEI07	100	100	100	100	100	100
IG.SEI08	100	100	100	100	100	100
IG.SEI09	49	100	100	100	94	100
Station	Jul-2022	Aug-2022	Sep-2022	Oct-2022	Nov-2022	Dec-2022
IG.SEI01	97	100	100	100	100	100
IG.SEI02	100	100	100	100	100	100
IG.SEI03	100	100	100	100	100	100
IG.SEI04	100	100	100	100	100	100
IG.SEI05	100	100	100	100	100	100
IG.SEI06	100	100	100	100	100	100
IG.SEI07	100	100	100	100	100	100
IG.SEI08	100	100	100	100	100	100
IG.SEI09	100	100	100	100	100	100

### 3. Seismic Data Processing

An overview of seismic data processing workflow for the detection and characterization of seismic events is presented in this section.

#### 3.1. Automatic Event Detection

Seismic monitoring stations continuously record ground vibrations generated by anthropogenic activities (e.g., mining/quarry blasts - discussed in Section 6) and natural phenomena, including earthquakes. The NWMO stations are equipped with highly sensitive

seismometers that can detect vibrations well-below human perception. The recorded data are streamed to the Nanometrics Cloud Data Center in near real-time, for data processing.

The continuous waveform data acquired from each station is processed through a short-time-average through long-time-average (“STA/LTA”) trigger detection algorithm. The algorithm predicts a characteristic function (“CF”) of the signal based on continuously-moving short-time and long-time windows and declares a trigger when the CF exceeds a pre-set threshold. The automatic processing system declares an event when a minimum of four time-correlated seismic phase arrivals are picked at a minimum of four stations.

### 3.2. Manual Review


Not every automatic event detection would necessarily be associated with an earthquake. Event waveforms are reviewed by experienced analysts on a next day basis, in order to confirm if they are seismic activities. Seismic events detected within the AOI are posted to Nanometrics Athena seismicity web portal for NWMO to review. False positives (incorrect classification of random noise) and non-seismic event detections due to anthropogenic activities (discussed in Section 6) are removed. For confirmed seismic events, the review process also involves adjustment of automatic picks for seismic phase arrivals and peak amplitudes, if deemed necessary, in order to ensure the quality of event solution (origin time, hypocenter location and magnitude). Following the manual adjustment of phase and amplitude picks, seismic events are re-processed to determine the final event solutions.

Earthquake hypocenter locations are determined based on an 1D velocity model, which was derived from 3D velocity data provided by NWMO (reader is referred to Section 5 for details about velocity models).


Seismic events that fall outside of the AOI after manual review are not included in the Program. For example, Figure 3 shows waveforms obtained from an earthquake that occurred on September 17, 2021, located approximately 11km outside of the AOI. In comparison, Figure 4 shows waveforms obtained from an earthquake that occurred on August 4, 2021, located inside the AOI.



Event magnitudes are determined in terms of Richter local magnitude ("ML") based on a model proposed by Hutton and Boore (1987).



**Figure 3.** A seismic event detected on June 22nd, 2022 was located ~19 km outside of the AOI and was not included in the Program.



**Figure 4.** A seismic event detected on April 21st, 2022 that was located inside the AOI - included in the Program.

## 4. Network Performance

A summary of the network performance based on automatic event detections is provided in this section.

Automatic event detection is not bounded by the AOI to ensure no seismic events are missed due to automatic event location quality. This results in a large number of automatic event detections, with an average of ~1880 events per month. A total of 22,609 automatic


[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

events were detected across the region from January 1 - December 31, 2022. Figure 5 shows the distribution of automatic event detections on a monthly basis.

The vast majority of these events were either false positives (incorrect detection of random noise) or anthropogenic activities (e.g., mining/quarry blasts - discussed Section 6). Several upticks in automatic event detections can be noted, such as in the month of June 2022. Common causes for such influxes of automatic detections are high wind patterns that cause increased vibrations at stations due to the shaking of trees and poles nearby.



**Figure 5.** Rates of automatic event detections on a monthly basis

## 5. Seismic Velocity Model


A velocity model provides information on the seismic velocities present in the underlying geologic structure in an area (i.e. the speed with which seismic waves travel through the subsurface). Seismic velocity information allows for an estimation of distance between an event hypocenter and a recording station. Utilizing this information from several stations allows for the triangulation of earthquake hypocenters.

### 5.1. 3D Velocity Model

NWMO has provided a grid of P-wave velocity ("Vp") data for development of a 3D seismic velocity model for the AOI. The key steps involved in model building are as follows:


- i. The provided velocity data is subsampled and smoothed
- ii. 2D velocity layers are generated by interpolating the available data
  - o S-wave velocities ("Vs") are estimated based on a constant Vp/Vs ratio of 1.75
  - o The model is extended to a depth of 15 km assuming a constant velocity beyond the maximum depth of available velocity data (~4 km)
- iii. Velocity layers are then merged and blended vertically
- iv. Cross-validation is applied to remove outlier velocity data points
- v. A 3D smoothing algorithm is applied to remove any sharp velocity contrasts

Figure 6 shows the area covered by the velocity model related to the AOI and Figure 7 shows Vp and Vs cross sections of the 3D velocity model along AA' line on Figure 6.



**Figure 6.** Velocity model extent displayed as yellow box and cross-section highlighted by navy AA' line. Red square shows the AOI and the purple circle represents the microseismic boundary.


The 3D velocity model is tested against seismic events detected within the AOI. It is observed that some events are unrealistically trapped in a medium above the surface due to some incompatibilities of the velocity model with observed seismic travel times. This suggests that the 3D velocity model requires some refinements before its integration with event processing and solution workflows. Therefore, it was agreed to use an average 1D velocity model until the re-assessment of the 3D velocity model with a larger earthquake dataset (minimum of 100 events within the AOI). The event locations will be re-calculated based on the 3D velocity model when it is finalized.




**Figure 7. Top:** Vp cross-section and **Bottom:** Vs cross-section of the 3D velocity model. The left panels display a cross-section average profile, the right panels display cross-section velocity.

## 5.2. 1D Velocity Model

A simple 1D velocity model that captures the major velocity contrasts in the AOI is developed based on an averaging of the 3D velocity model. The 1D velocity model is temporarily used for locating seismic events until the 3D velocity model is finalized. Figures 8 and 9 show the 1D velocity model for Vp and Vs, respectively.



**Figure 8.** 1D velocity model for P waves. Top 3 km of the velocity model is shown for clarity. Vp attains a constant value of 6.22 km/s for depths greater than 3 km.




**Figure 9.** 1D velocity model for S waves. Top 3 km of the velocity model is shown for clarity. Vs attains a constant value of 3.55 km/s for depths greater than 3 km.



## 6. Seismic Activity within the AOI

This section provides a summary of earthquakes observed within the AOI from January 1 - December 31, 2022.

A total of 27 seismic events were observed within the AOI, with local magnitudes ranging from -0.17ML to 1.62ML. The largest event occurred on April 21, 2022. Figure 10 shows locations of seismic events observed within the AOI relative to the monitoring network and Table 4 provides a list of these events with their key seismological attributes. Earthquakes within the AOI attain depths ranging from 0.15 km to 7.79 km, with an average value of 2.74 km. The event depths were calculated based on the 1D velocity model and will be reprocessed using a 3D velocity model when the model development is completed (discussed in Section 5). Waveforms obtained from these events are included in Appendix B.




**Figure 10.** Seismic events observed within the AOI from January 1 - December 31, 2022.



**Table 4.** Earthquakes detected within the AOI from January 1 - December 31, 2022.

Earthquake Origin Date and Time (UTC)	Latitude (WGS84)	Longitude (WGS84)	Depth (km)	Local Magnitude (ML)	Number of Stations with Phase Picks	Number of Phase Picks	Event Type
2022-11-18 00:54:35	49.5795	-91.508167	0.91	7.79	7	14	
2022-11-15 18:50:39	49.638167	-92.3735	1.31	2.16	8	8	quarry_blast
2022-11-09 15:13:21	49.1495	-92.084	0.56	4.27	5	10	
2022-10-31 19:07:38	49.6385	-92.374667	0.93	0.2	8	8	quarry_blast
2022-10-26 19:02:33	49.642833	-92.371333	1.2	0.12	9	9	quarry_blast
2022-10-14 12:30:01	49.623	-91.878333	0.3	1.26	8	14	
2022-10-02 18:44:11	49.556167	-91.942667	0	1.05	4	8	
2022-08-26 05:27:30	49.542167	-91.68	-0.03	3.5	6	10	
2022-08-16 01:08:44	49.6285	-91.9875	-0.09	1.37	7	11	
2022-08-21 03:44:18	49.656833	-92.069167	-0.15	2.87	8	13	
2022-07-16 02:54:57	49.2520	91.6967	1.13	5.94	10	20	
2022-06-16 13:40:31	49.624167	-91.879667	1.16	4.79	8	14	
2022-05-14 09:53:28	49.568	-91.940667	-0.12	3.35	6	12	
2022-05-09 13:21:37	49.541	-91.941833	0.15	1.03	6	12	
2022-05-09 08:14:53	49.543	-91.942667	0.06	1.3	7	14	
2022-05-01 09:26:30	49.581167	-92.227	0.17	3.78	5	8	
2022-05-01 02:26:50	49.747667	-91.820833	0.84	1.81	9	18	
2022-04-21 17:41:42	50.093833	-91.858667	1.63	7.77	9	13	
2022-04-19 10:15:24	49.031833	-91.963167	0.63	3.5	9	14	
2022-04-19 00:09:13	49.038833	-91.958167	0.64	5.74	10	18	
2022-04-18 23:48:45	49.041	-91.956667	1.06	4.85	10	17	
2022-04-18 23:47:00	49.046833	-91.943833	1	1.17	10	17	
2022-03-07 06:47:52	49.157	-91.628167	0.62	2.91	9	18	
2022-02-10 23:16:12	49.210333	-91.374167	0.66	3.13	6	10	
2022-01-01 14:51:12	49.420333	-91.587	0.23	2.87	12	24	

Figure 11 shows the rate of seismic activity in each month in 2022.



**Figure 11.** Number of seismic events observed within the AOI on a monthly basis in 2022.

## 7. Anthropogenic Activity


There are several active mines and quarries located within 150 km of the NWMO network (the maximum distance that an event from a nearby anthropogenic source can be detected). Blasting activities at these mines and quarries are one of the major sources of events detected by the automatic processing system. In the manual review stage, non-seismic events, including mining/quarry blasts, are identified by experienced analysts by visual inspection of recorded waveforms in terms of presence and motion of seismic phases (P and S waves), Wood-Anderson simulated traces, and their correlated timing at multiple stations. Mining/quarry blasts events that occur within 3 km of the Dymont Quarry

(approximately 42 km SE of Dryden) are kept in the catalog. Any other blasts inside the AOI are removed after manual review.

Events detected by the Canadian National Seismograph Network are reviewed and categorized by Canadian Hazards Information Service (“CHIS”) depending on their sources. The historical event catalog is accessible from the Earthquakes Canada website (<https://chis.nrcan.gc.ca/index-en.php>). Figure 12 shows seismic and anthropogenic events identified by CHIS in the region from January 1 - December 31, 2022 (the event list is provided in Appendix C). The events associated with mining activities by CHIS are clustered around

- Rainy River, Red Lake and Lac des Iles mines in Canada, and
- Minntac and Peter Mitchell mines in the United States.

Most of these events are mining/quarry blasts. However, there are a few events that are labeled by CHIS as mining-induced seismic events (i.e., earthquakes occurred on critically stressed faults near mining sites due to stress perturbations of mining/quarrying activities). The mining-induced events are also included in the event list in Appendix C.



**Figure 12.** Earthquakes (blue), quarry blasts (red) and mining-induced seismic events (yellow) as defined by CHIS, observed in the In 2022. Mine sites are indicated by black circles.

## 8. Event Location Accuracy

In this section, the location accuracy of earthquakes within the AOI is investigated using synthetic events, in order to understand the effect of the velocity model complexity and the network density on the event location uncertainty. To this end, a number of distributed synthetic hypocenters with a specified depth and spacing are simulated. Travel time grids are generated for the velocity model using the Eikonal finite-difference method (Podvin et al., 1991). For each simulated event, synthetic P and S first arrivals with Gaussian-distributed timing errors are computed.

Simulated events are then located using a grid search algorithm to determine hypocentral probability density functions and maximum likelihood locations. The probability density function for each event accounts for P and S pick time uncertainties and an overall travel


time uncertainty. Location uncertainty,  $\sigma$ , is calculated as the standard deviation of the hypocenter probability distribution for horizontal and vertical direction.

The 1D velocity model is used to model the location accuracy, considering all 13 stations (9 NWMO stations and 4 public stations). A timing error of 120 ms is assumed in this assessment. Figure 13 shows the modeled horizontal uncertainty of events detected by the monitoring network within the AOI. The minimum horizontal location uncertainty is estimated as 327.8 m, in the center of the NWMO array. This is applicable for events which are well recorded by most stations. Overall, the vertical uncertainty is expected to be higher than the horizontal uncertainty due to its higher sensitivity to the station proximity.

Accuracy event hypocenter locations depends on two key factors:

- i. Azimuthal coverage and number of stations at which the timing of phase arrivals are identified accurately, and
- ii. The compatibility of the velocity model used for locating events

The incorporation of the 3D velocity model into the event processing and solution workflow is expected to improve the event location accuracies.




**Figure 13.** Modeled horizontal location uncertainty of events within the AOI

## 9. Magnitude of Completeness

Magnitude of completeness ("Mc") within the AOI is modeled for the NWMO network to understand the minimum magnitude above which all seismic events can be detected and located, given the current array geometry and the assumed velocity model, instrument noise floors, background noise model, and attenuation parameters. For an assumed event depth, Mc modeling measures the spectral amplitude levels at different stations following a waveform propagation modeling, taking into account seismic attenuation attributes and assuming a point-source model (Brune, 1970). This is performed for a large number of synthetic events with variable magnitudes across a gridded space. The event signal to noise ratios ("SNR") are measured at monitoring stations for each grid point, considering the mean noise level at each station of the network. The Mc at a grid point is determined as the minimum magnitude at which the estimated SNR on at least four stations satisfies a pre-set

detectability threshold. Figure 14 shows the spatial variation of  $M_c$  within the AOI for the NWMO network. All seismic events down to magnitude of  $\sim M_w 1.0$ , on average, are expected to be detected by the array. Smaller earthquakes may still be detected and located but with a lower accuracy and completeness.



**Figure 14.** Magnitude of completeness ( $M_c$ ) model of the NWMO network for events at a depth of 6 km. Blue circle represents the microseismic monitoring boundary (50 km radius around the Revell site) and the red square shows NWMO AOI. Black triangles represent locations of NWMO stations and pink triangles indicate the locations of public stations included in the Program.



## 10. Data Delivery

Nanometrics has delivered the monitoring data obtained from January 1 - December 31, 2022. The data has been uploaded to an SFTP server along with metadata, a data transmittal letter and the Annual Seismic Monitoring Report. The delivered data includes:

1. A catalog of earthquakes detected within the AOI (event origin date and time, hypocenter location, magnitude, location error ellipses etc.)
2. Seismic phase pick information in JSON-formatted files
3. Earthquake waveform data in miniSEED formatted files
4. Continuous raw waveforms delivered in form of 1-hour long miniSEED files for each station and channel

## 11. Summary

Nanometrics operates a seismic monitoring network at the Revell Site on behalf of NWMO, as part of the Microseismic Monitoring Program ("Program"). An annual overview of network operation activities and observed seismic activities are presented in this report.

The monitoring network consists of nine broadband seismograph stations within the AOI. The first station was installed on November 3rd, 2020 and the remaining eight stations were installed in July 2021. Four additional public stations located around the AOI are also incorporated into the Program.

Two stations (IG.SEI04 and IG.SEI08) record data in offline mode (i.e., no data transmission) due to lack of cellular connectivity in the area. All other stations stream data to the Nanometrics Data Center in the cloud in near real time. Waveform data recorded at offline stations are collected with periodic site visits and are incorporated into the data processing workflows. The acquired data are processed using an automatic event detection algorithm. The automatic processing system declares an event when a minimum of four time-correlated seismic phase arrivals are picked at a minimum of four stations. Event waveforms are reviewed by experienced analysts to identify those associated with seismic activities. A 1D velocity model was used for locating events. A modeling of event location accuracy indicated that the earthquakes detected within the AOI are estimated to have a



minimum horizontal location uncertainty of ~330 m, considering the adopted 1D velocity model. The vertical uncertainty is expected to be higher than the horizontal uncertainty due to its higher sensitivity to the station proximity. A 3D velocity model is currently under development and event locations will be recalculated when it is completed.

From January 1 - December 31, 2022, a total of 22,609 automatic events were detected by the monitoring networks. The vast majority of these events were either false positives (incorrect classification of random noise) or anthropogenic activities (e.g., mining/quarry blasts). As a result of manual reviews, 27 earthquakes with local magnitudes ranging from -0.17ML to 1.62ML were identified within the AOI. These events attained depths ranging from 0.15 km to 7.79 km, with an average value of 2.74 km.

Magnitude of completeness ( $M_c$ ) within the AOI is modeled for the NWMO network to understand the minimum magnitude above which all seismic events can be detected. This assessment suggests that earthquakes of magnitude  $M > 1.0$  within the AOI are expected to be detected by the array. Smaller earthquakes may still be detected and located but with a lower accuracy and completeness.

## 12. References

Brune, J. N. (1970), Tectonic stress and the spectra of seismic shear waves from earthquakes, *J. Geophys. Res.*, 75( 26), 4997– 5009, doi:10.1029/JB075i026p04997.

DesRoches, A., Sykes, M., Parmenter, A. and Sykes, E. 2018. Lineament Interpretation of the Revell Batholith and Surrounding Greenstone Belts. NWMO Report Number NWMO-TR-2018-19.

Earthquakes Canada, GSC, Earthquake Search (On-line Bulletin), <http://earthquakescanada.nrcan.gc.ca/stndon/NEDB-BNDS/bulletin-en.php>, Nat. Res. Can., 2022-01-15.

Hutton, L. K. and D. M. Boore (1987). The ML scale in southern California, *Bull. Seismol. Soc. Am.* 77, 2074-2094.

Kresz, 1987; OGS 2011; Satterly, 1960; Stone et al., 2007; Stone et al., 2011a, b, c; Thomson, 1933; DesRoches et al., 2018.

Kresz, D.U., 1987. Geology of the Kawashegamuk Lake area, District of Kenora; Ontario Geological Survey, Open File Report 5659, 201p

OGS (Ontario Geological Survey), 2011a. 1:250 000 scale bedrock geology of Ontario, Ontario Geological Survey, Miscellaneous Release Data 126 - Revision 1.

Parmenter A., Waffle L., and DesRoches A. (2020). Bedrock Geology of the Revell Batholith and Surrounding Greenstone Belts, Nuclear Waste Management Organization, NWMO-TR-2020-08

Pascal Podvin, Isabelle Lecomte, Finite difference computation of traveltimes in very contrasted velocity models: a massively parallel approach and its associated tools, *Geophysical Journal International*, Volume 105, Issue 1, April 1991, Pages 271–284, <https://doi.org/10.1111/j.1365-246X.1991.tb03461.x>

Satterly, J. 1960. Geology of the Dymont area, Ontario Department of Mines, Annual Report Vol. 69, pt. 6, 32p.

Stone, D., Hallé, J., Lange, M., Hellebrandt, B. and E. Chaloux. 2007. Precambrian Geology, Ignace Area; Ontario Geological Survey, Preliminary Map P.3360—Revised, scale 1:50 000.

Stone, D., Hellebrandt, B. and Lange, M. 2011a. Precambrian geology of the Bending Lake area (north sheet); Ontario Geological Survey, Preliminary Map P.3623, scale 1:20 000.

Stone, D., Hellebrandt, B. and Lange, M. 2011b. Precambrian geology of the Bending Lake area (south sheet); Ontario Geological Survey, Preliminary Map P.3624, scale 1:20 000.

Stone, D., Paju, G. and Smyk, E. 2011c. Precambrian geology of the Stormy Lake area; Ontario Geological Survey, Preliminary Map P.2515, scale 1:20 000.

Thomson, J.E. 1934. Geology of the Manitou-Stormy Lakes area; Ontario Department of Mines, Vol. 42, pt.4, pp. 1-40, Accompanied by Annual Report Map (ARM) 42C, scale 1:63,360.

## Appendix A: Daily Station Data Availability

### January 2022

Network	Station	2022-01-01	2022-01-02	2022-01-03	2022-01-04	2022-01-05	2022-01-06	2022-01-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	50.5	28
Network	Station	2022-01-08	2022-01-09	2022-01-10	2022-01-11	2022-01-12	2022-01-13	2022-01-14
IG	SEI01	100	100	82.2	0	0	36.1	99.8
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	99	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	0	37.7	47	33.6	38.7	41.8	27.2
Network	Station	2022-01-15	2022-01-16	2022-01-17	2022-01-18	2022-01-19	2022-01-20	2022-01-21
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	10.5	0.4	0	0	5.9	14.5	1.1

Network	Station	2022-01-22	2022-01-23	2022-01-24	2022-01-25	2022-01-26	2022-01-27	2022-01-28
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	24.9	14.5	22.9	33.9	73.2	100	100
Network	Station	2022-01-29	2022-01-30	2022-01-31				
IG	SEI01	100	100	100				
IG	SEI02	100	100	100				
IG	SEI03	100	100	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	100	100	100				
IG	SEI08	100	100	100				
IG	SEI09	100	100	100				

## February 2022

Network	Station	2022-02-01	2022-02-02	2022-02-03	2022-02-04	2022-02-05	2022-02-06	2022-02-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-02-08	2022-02-09	2022-02-10	2022-02-11	2022-02-12	2022-02-13	2022-02-14

[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	26.1	0	0
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-02-15</b>	<b>2022-02-16</b>	<b>2022-02-17</b>	<b>2022-02-18</b>	<b>2022-02-19</b>	<b>2022-02-20</b>	<b>2022-02-21</b>
IG	SEI01	100	100	94.6	25.5	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	0	29	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-02-22</b>	<b>2022-02-23</b>	<b>2022-02-24</b>	<b>2022-02-25</b>	<b>2022-02-26</b>	<b>2022-02-27</b>	<b>2022-02-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100

## March 2022

<b>Network</b>	<b>Station</b>	<b>2022-03-01</b>	<b>2022-03-02</b>	<b>2022-03-03</b>	<b>2022-03-04</b>	<b>2022-03-05</b>	<b>2022-03-06</b>	<b>2022-03-07</b>
IG	SEI01	100	100	100	100	100	100	100

[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	99.9	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-03-08</b>	<b>2022-03-09</b>	<b>2022-03-10</b>	<b>2022-03-11</b>	<b>2022-03-12</b>	<b>2022-03-13</b>	<b>2022-03-14</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	99.6	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-03-15</b>	<b>2022-03-16</b>	<b>2022-03-17</b>	<b>2022-03-18</b>	<b>2022-03-19</b>	<b>2022-03-20</b>	<b>2022-03-21</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	99.5	100	100	99.9	100	100	99.8
<b>Network</b>	<b>Station</b>	<b>2022-03-22</b>	<b>2022-03-23</b>	<b>2022-03-24</b>	<b>2022-03-25</b>	<b>2022-03-26</b>	<b>2022-03-27</b>	<b>2022-03-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100



IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-03-29</b>	<b>2022-03-30</b>	<b>2022-03-31</b>				
IG	SEI01	100	100	100				
IG	SEI02	100	100	100				
IG	SEI03	100	100	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	100	100	100				
IG	SEI08	100	100	100				
IG	SEI09	100	100	100				

## April 2022

<b>Network</b>	<b>Station</b>	<b>2022-04-01</b>	<b>2022-04-02</b>	<b>2022-04-03</b>	<b>2022-04-04</b>	<b>2022-04-05</b>	<b>2022-04-06</b>	<b>2022-04-07</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-04-08</b>	<b>2022-04-09</b>	<b>2022-04-10</b>	<b>2022-04-11</b>	<b>2022-04-12</b>	<b>2022-04-13</b>	<b>2022-04-14</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100

IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	99.8	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-04-15</b>	<b>2022-04-16</b>	<b>2022-04-17</b>	<b>2022-04-18</b>	<b>2022-04-19</b>	<b>2022-04-20</b>	<b>2022-04-21</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	99.9	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-04-22</b>	<b>2022-04-23</b>	<b>2022-04-24</b>	<b>2022-04-25</b>	<b>2022-04-26</b>	<b>2022-04-27</b>	<b>2022-04-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-04-29</b>	<b>2022-04-30</b>					
IG	SEI01	100	100					
IG	SEI02	100	100					
IG	SEI03	100	100					
IG	SEI04	100	100					
IG	SEI05	100	100					
IG	SEI06	100	100					

IG	SEI07	100	100
IG	SEI08	100	100
IG	SEI09	100	100

## May 2022

Network	Station	2022-05-01	2022-05-02	2022-05-03	2022-05-04	2022-05-05	2022-05-06	2022-05-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-05-08	2022-05-09	2022-05-10	2022-05-11	2022-05-12	2022-05-13	2022-05-14
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	99.9	100	100	100	100
Network	Station	2022-05-15	2022-05-16	2022-05-17	2022-05-18	2022-05-19	2022-05-20	2022-05-21
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100

IG	SEI07	99.9	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-05-22</b>	<b>2022-05-23</b>	<b>2022-05-24</b>	<b>2022-05-25</b>	<b>2022-05-26</b>	<b>2022-05-27</b>	<b>2022-05-28</b>
IG	SEI01	100	100	100	100	100	100	98.2
IG	SEI02	100	100	100	99.3	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	98.6	100	100
IG	SEI06	100	100	100	100	100	100	99.1
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	87.2	0
<b>Network</b>	<b>Station</b>	<b>2022-05-29</b>	<b>2022-05-30</b>	<b>2022-05-31</b>				
IG	SEI01	100	100	100				
IG	SEI02	100	100	100				
IG	SEI03	100	98	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	99	100	100				
IG	SEI08	100	100	100				
IG	SEI09	37.5	100	100				

## June 2022

<b>Network</b>	<b>Station</b>	<b>2022-06-01</b>	<b>2022-06-02</b>	<b>2022-06-03</b>	<b>2022-06-04</b>	<b>2022-06-05</b>	<b>2022-06-06</b>	<b>2022-06-07</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100

[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-06-08</b>	<b>2022-06-09</b>	<b>2022-06-10</b>	<b>2022-06-11</b>	<b>2022-06-12</b>	<b>2022-06-13</b>	<b>2022-06-14</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-06-15</b>	<b>2022-06-16</b>	<b>2022-06-17</b>	<b>2022-06-18</b>	<b>2022-06-19</b>	<b>2022-06-20</b>	<b>2022-06-21</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-06-22</b>	<b>2022-06-23</b>	<b>2022-06-24</b>	<b>2022-06-25</b>	<b>2022-06-26</b>	<b>2022-06-27</b>	<b>2022-06-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100

IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-06-29</b>	<b>2022-06-30</b>					
IG	SEI01	100	100					
IG	SEI02	100	100					
IG	SEI03	100	100					
IG	SEI04	100	100					
IG	SEI05	100	100					
IG	SEI06	100	100					
IG	SEI07	100	100					
IG	SEI08	100	100					
IG	SEI09	100	100					

## July 2022

Network	Station	2022-07-01	2022-07-02	2022-07-03	2022-07-04	2022-07-05	2022-07-06	2022-07-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-07-08	2022-07-09	2022-07-10	2022-07-11	2022-07-12	2022-07-13	2022-07-14
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100

IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-07-15</b>	<b>2022-07-16</b>	<b>2022-07-17</b>	<b>2022-07-18</b>	<b>2022-07-19</b>	<b>2022-07-20</b>	<b>2022-07-21</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-07-22</b>	<b>2022-07-23</b>	<b>2022-07-24</b>	<b>2022-07-25</b>	<b>2022-07-26</b>	<b>2022-07-27</b>	<b>2022-07-28</b>
IG	SEI01	100	100	100	100	100	91.8	72
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-07-29</b>	<b>2022-07-30</b>	<b>2022-07-31</b>				
IG	SEI01	80.9	85	82.9				
IG	SEI02	100	100	100				
IG	SEI03	100	100	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	100	100	100				
IG	SEI08	100	100	100				
IG	SEI09	100	100	100				



## August 2022

Network	Station	2022-08-01	2022-08-02	2022-08-03	2022-08-04	2022-08-05	2022-08-06	2022-08-07
IG	SEI01	100	86.5	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-08-08	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13	2022-08-14
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	97.9	100	100	100
Network	Station	2022-08-15	2022-08-16	2022-08-17	2022-08-18	2022-08-19	2022-08-20	2022-08-21
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-08-22	2022-08-23	2022-08-24	2022-08-25	2022-08-26	2022-08-27	2022-08-28

[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-08-29	2022-08-30	2022-08-31				
IG	SEI01	100	100	100				
IG	SEI02	100	100	100				
IG	SEI03	100	100	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	100	100	100				
IG	SEI08	100	100	100				
IG	SEI09	100	100	100				

## September 2022

Network	Station	2022-09-01	2022-09-02	2022-09-03	2022-09-04	2022-09-05	2022-09-06	2022-09-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-09-08	2022-09-09	2022-09-10	2022-09-11	2022-09-12	2022-09-13	2022-09-14

[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-09-15</b>	<b>2022-09-16</b>	<b>2022-09-17</b>	<b>2022-09-18</b>	<b>2022-09-19</b>	<b>2022-09-20</b>	<b>2022-09-21</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-09-22</b>	<b>2022-09-23</b>	<b>2022-09-24</b>	<b>2022-09-25</b>	<b>2022-09-26</b>	<b>2022-09-27</b>	<b>2022-09-28</b>
IG	SEI01	100	100	100	100	100	100	99.2
IG	SEI02	100	100	99.1	100	100	100	100
IG	SEI03	100	100	100	100	100	99.1	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	98.8
IG	SEI06	100	100	100	100	100	98.3	100
IG	SEI07	100	100	100	96.8	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	98.9	100	100
<b>Network</b>	<b>Station</b>	<b>2022-09-29</b>	<b>2022-09-30</b>					
IG	SEI01	100	100					
IG	SEI02	100	100					
IG	SEI03	100	100					

IG	SEI04	100	100
IG	SEI05	100	100
IG	SEI06	100	100
IG	SEI07	100	100
IG	SEI08	100	100
IG	SEI09	100	100

## October 2022

Network	Station	2022-10-01	2022-10-02	2022-10-03	2022-10-04	2022-10-05	2022-10-06	2022-10-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-10-08	2022-10-09	2022-10-10	2022-10-11	2022-10-12	2022-10-13	2022-10-14
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-10-15	2022-10-16	2022-10-17	2022-10-18	2022-10-19	2022-10-20	2022-10-21
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100

IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-10-22</b>	<b>2022-10-23</b>	<b>2022-10-24</b>	<b>2022-10-25</b>	<b>2022-10-26</b>	<b>2022-10-27</b>	<b>2022-10-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-10-29</b>	<b>2022-10-30</b>	<b>2022-10-31</b>				
IG	SEI01	100	100	100				
IG	SEI02	100	100	100				
IG	SEI03	100	100	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	100	100	100				
IG	SEI08	100	100	100				
IG	SEI09	100	100	100				

## November 2022

<b>Network</b>	<b>Station</b>	<b>2022-11-01</b>	<b>2022-11-02</b>	<b>2022-11-03</b>	<b>2022-11-04</b>	<b>2022-11-05</b>	<b>2022-11-06</b>	<b>2022-11-07</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100

[nanometrics.ca](https://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-11-08</b>	<b>2022-11-09</b>	<b>2022-11-10</b>	<b>2022-11-11</b>	<b>2022-11-12</b>	<b>2022-11-13</b>	<b>2022-11-14</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-11-15</b>	<b>2022-11-16</b>	<b>2022-11-17</b>	<b>2022-11-18</b>	<b>2022-11-19</b>	<b>2022-11-20</b>	<b>2022-11-21</b>
IG	SEI01	95.9	100	100	100	100	100	100
IG	SEI02	100	95.3	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-11-22</b>	<b>2022-11-23</b>	<b>2022-11-24</b>	<b>2022-11-25</b>	<b>2022-11-26</b>	<b>2022-11-27</b>	<b>2022-11-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100

IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-11-29</b>	<b>2022-11-30</b>					
IG	SEI01	100	100					
IG	SEI02	100	100					
IG	SEI03	100	100					
IG	SEI04	100	100					
IG	SEI05	100	100					
IG	SEI06	100	100					
IG	SEI07	100	100					
IG	SEI08	100	100					
IG	SEI09	100	100					

## December 2022

Network	Station	2022-12-01	2022-12-02	2022-12-03	2022-12-04	2022-12-05	2022-12-06	2022-12-07
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
Network	Station	2022-12-08	2022-12-09	2022-12-10	2022-12-11	2022-12-12	2022-12-13	2022-12-14
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100




IG	SEI07	100	100	100	100	100	100	99.3
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-12-15</b>	<b>2022-12-16</b>	<b>2022-12-17</b>	<b>2022-12-18</b>	<b>2022-12-19</b>	<b>2022-12-20</b>	<b>2022-12-21</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-12-22</b>	<b>2022-12-23</b>	<b>2022-12-24</b>	<b>2022-12-25</b>	<b>2022-12-26</b>	<b>2022-12-27</b>	<b>2022-12-28</b>
IG	SEI01	100	100	100	100	100	100	100
IG	SEI02	100	100	100	100	100	100	100
IG	SEI03	100	100	100	100	100	100	100
IG	SEI04	100	100	100	100	100	100	100
IG	SEI05	100	100	100	100	100	100	100
IG	SEI06	100	100	100	100	100	100	100
IG	SEI07	100	100	100	100	100	100	100
IG	SEI08	100	100	100	100	100	100	100
IG	SEI09	100	100	100	100	100	100	100
<b>Network</b>	<b>Station</b>	<b>2022-12-29</b>	<b>2022-12-30</b>	<b>2022-12-31</b>				
IG	SEI01	100	100	100				
IG	SEI02	100	100	100				
IG	SEI03	100	100	100				
IG	SEI04	100	100	100				
IG	SEI05	100	100	100				
IG	SEI06	100	100	100				
IG	SEI07	100	100	100				
IG	SEI08	100	100	100				
IG	SEI09	100	100	100				

## Appendix B: Waveforms of Earthquakes Detected within the AOI

This section displays the waveforms of seismic events detected in 2022 within the AOI by the NWMO monitoring network. Waveforms are filtered with a 10 Hz bandpass unless otherwise specified.

Date: 2022-01-01  
Time: 14:51:12 UTC  
Latitude: 49.4158 °N  
Longitude: 91.5805 °W  
Depth: 3.80km  
Magnitude: 0.23MI




*Manual event within NWMO area of interest*

[nanometrics.ca](http://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8


Tel +1 613 592 6776 | Toll Free 1 855 792 6776 (NA) | Fax +1 613 592 5929

Date: 2022-02-10  
 Time: 23:16:12 UTC  
 Latitude: 49.2003 °N  
 Longitude: 91.3742 °W  
 Depth: 3.13km  
 Magnitude: 0.66Ml




*Manual event within NWMO area of interest*

Date: 2022-03-07  
 Time: 06:47:52 UTC  
 Latitude: 49.1570 °N  
 Longitude: 91.6282 °W  
 Depth: 2.91km  
 Magnitude: 0.62Ml




*Manual event within NWMO area of interest*

Date: 2022-04-18  
 Time: 23:47:00 UTC  
 Latitude: 49.0468 °N  
 Longitude: 91.9438 °W  
 Depth: 1.17km  
 Magnitude: 1.0MI




*Manual event within NWMO area of interest*

Date: 2022-04-18  
 Time: 23:48:45 UTC  
 Latitude: 49.0410 °N  
 Longitude: 91.9567 °W  
 Depth: 4.85km  
 Magnitude: 1.06Ml



*Manual event within NWMO area of interest*


Date: 2022-04-19  
 Time: 00:09:13 UTC  
 Latitude: 49.0388 °N  
 Longitude: 91.9582 °W  
 Depth: 5.74km  
 Magnitude: 0.64Ml



*Manual event within NWMO area of interest*




Date: 2022-04-19  
 Time: 10:15:24 UTC  
 Latitude: 49.0318 °N  
 Longitude: 91.9632 °W  
 Depth: 3.50km  
 Magnitude: 0.63Ml




*Manual event within NWMO area of interest*

Date: 2022-04-21  
 Time: 17:41:42 UTC  
 Latitude: 50.0938 °N  
 Longitude: 91.8587 °W  
 Depth: 7.77km  
 Magnitude: 1.63Ml




*Manual event within NWMO area of interest*

Date: 2022-05-01  
 Time: 02:26:50 UTC  
 Latitude: 49.747667 °N  
 Longitude: 91.820833 °W  
 Depth: 1.81km  
 Magnitude: 0.84Ml



*Manual event within NWMO area of interest*

Date: 2022-05-01  
 Time: 09:26:30 UTC  
 Latitude: 49.581167 °N  
 Longitude: 92.227000 °W  
 Depth: 3.78km  
 Magnitude: 0.17Ml




*Manual event within NWMO area of interest*

[nanometrics.ca](http://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8


**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929

Date: 2022-05-09  
 Time: 08:14:53 UTC  
 Latitude: 49.543000 °N  
 Longitude: 91.942667 °W  
 Depth: 1.30km  
 Magnitude: 0.06Ml




*Manual event within NWMO area of interest*

Date: 2022-05-09  
 Time: 13:21:37 UTC  
 Latitude: 49.541000 °N  
 Longitude: 91.941833 °W  
 Depth: 1.03km  
 Magnitude: 0.15Ml




*Manual event within NWMO area of interest*

Date: 2022-05-14  
 Time: 09:53:28 UTC  
 Latitude: 49.568000 °N  
 Longitude: 91.940667 °W  
 Depth: 3.35km  
 Magnitude: -0.12MI



*Manual event within NWMO area of interest*


Date: 2022-06-16  
 Time: 13:40:31 UTC  
 Latitude: 49.624200 °N  
 Longitude: 91.8797 °W  
 Depth: 4.79km  
 Magnitude: 1.16Ml



*Manual event within NWMO area of interest*




Date: 2022-07-16  
 Time: 02:54:57 UTC  
 Latitude: 49.2520 °N  
 Longitude: 91.6967 °W  
 Depth: 5.94km  
 Magnitude: 1.13Ml




*Manual event within NWMO area of interest*

Date: 2022-08-16  
 Time: 01:08:44 UTC  
 Latitude: 49.5283 °N  
 Longitude: 91.9875 °W  
 Depth: 1.37km  
 Magnitude: -0.09MI




*Manual event within NWMO area of interest*

Date: 2022-08-21  
 Time: 03:44:18 UTC  
 Latitude: 49.6568 °N  
 Longitude: 91.0692 °W  
 Depth: 2.87km  
 Magnitude: -0.15MI




*Manual event within NWMO area of interest*

Date: 2022-08-26  
Time: 05:27:30 UTC  
Latitude: 49.5422 °N  
Longitude: 91.6800 °W  
Depth: 3.50km  
Magnitude: -0.03MI




*Manual event within NWMO area of interest*

Date: 2022-10-02  
 Time: 18:44:11 UTC  
 Latitude: 49.5561 °N  
 Longitude: 91.9426 °W  
 Depth: 1.05km  
 Magnitude: 0.00MI




*Manual event within NWMO area of interest*

Date: 2022-10-14  
 Time: 12:30:01 UTC  
 Latitude: 49.6230 °N  
 Longitude: 91.8783 °W  
 Depth: 1.26km  
 Magnitude: 0.30Ml




*Manual event within NWMO area of interest*

Date: 2022-10-26  
 Time: 19:02:33 UTC  
 Latitude: 49.6428 °N  
 Longitude: 92.3713 °W  
 Depth: 0.12km  
 Magnitude: 1.19MI  
 Tag: quarry\_blast



*Manual event within NWMO area of interest*

Date: 2022-10-31  
 Time: 19:07:38 UTC  
 Latitude: 49.6385 °N  
 Longitude: 92.3746 °W  
 Depth: 0.20km  
 Magnitude: 0.93MI  
 Tag: quarry\_blast



*Manual event within NWMO area of interest*


[nanometrics.ca](http://nanometrics.ca)

3001 Solandt Rd, Kanata, Ontario, Canada K2K 2M8

**Tel** +1 613 592 6776 | **Toll Free** 1 855 792 6776 (NA) | **Fax** +1 613 592 5929




Date: 2022-11-09  
 Time: 15:13:21 UTC  
 Latitude: 49.1495 °N  
 Longitude: 92.0840 °W  
 Depth: 4.27km  
 Magnitude: 0.56Ml




*Manual event within NWMO area of interest*

Date: 2022-11-15  
 Time: 18:50:39 UTC  
 Latitude: 49.6382 °N  
 Longitude: 92.3735 °W  
 Depth: 2.16km  
 Magnitude: 1.31Ml  
 Tag: quarry\_blast



*Manual event within NWMO area of interest*

Date: 2022-11-18  
 Time: 00:54:35 UTC  
 Latitude: 49.5795 °N  
 Longitude: 91.5082 °W  
 Depth: 7.79km  
 Magnitude: 0.91Ml



*Manual event within NWMO area of interest*

## Appendix C: CHIS Events (January 1, 2022 - December 31, 2022)

DateTime (UTC)	Lat	Long	Depth (km)	Mag	Description	Event Type
2022-12-26 13:08:09	51.9535	-91.9406	2	1.53	27 km NNW of Cat Lake, ON	Seismic
2022-12-26 12:50:39	51.9594	-91.9387	2	1.34	28 km NNW of Cat Lake, ON	Seismic
2022-12-25 04:54:46	52.0002	-91.9229	2	1.93	32 km NNW of Cat Lake, ON	Seismic
2022-12-22 03:02:46	47.8814	-92.1102	5	2.09	21 km W of Ely, MN	Seismic
2022-12-20 15:11:37	51.9594	-91.9338	2	2	28 km NNW of Cat Lake, ON	Seismic
2022-12-20 13:45:27	51.9758	-91.887	2	2.08	29 km N of Cat Lake, ON	Seismic
2022-12-19 05:41:25	49.6042	-90.3167	5	1.43	70 km NW of Lac des Iles Mine, ON	Seismic
2022-12-18 00:34:20	49.6193	-90.2904	5	1.95	70 km NW of Lac des Iles Mine, ON	Seismic
2022-12-13 05:14:38	51.9983	-91.9006	2	1.85	31 km N of Cat Lake, ON	Seismic
2022-12-08 22:18:48	52.0254	-91.8918	2	2.38	34 km N of Cat Lake, ON	Seismic
2022-12-06 22:49:07	52.0708	-91.8407	2	2.51	39 km N of Cat Lake, ON	Seismic
2022-12-06 18:00:51	52.0167	-91.8935	2	1.95	33 km N of Cat Lake, ON	Seismic
2022-12-06 17:35:20	52.1086	-91.7853	2	2.66	43 km N of Cat Lake, ON	Seismic
2022-12-01 04:50:37	51.9611	-91.9298	2	2.17	28 km NNW of Cat Lake, ON	Seismic
2022-11-27 13:06:59	51.9873	-91.9357	2	1.87	31 km NNW of Cat Lake, ON	Seismic
2022-11-27 07:51:02	50.629	-89.2819	2	2.34	39 km NNW of Whitesand, ON	Seismic
2022-11-27 06:18:55	52.0301	-91.8818	2	2.2	35 km N of Cat Lake, ON	Seismic
2022-11-26 19:28:24	51.8478	-91.73	2	2.59	15 km NNE of Cat Lake, ON	Seismic
2022-11-25 21:41:25	51.9295	-91.9658	2	1.64	25 km NNW of Cat Lake, ON	Seismic
2022-11-25 18:59:19	51.9213	-91.9805	2	2.47	25 km NNW of Cat Lake, ON	Seismic
2022-11-25 16:00:03	51.9409	-91.9879	2	3.06	27 km NNW of Cat Lake, ON	Seismic
2022-11-24 20:51:28	52.0659	-91.8519	2	2.2	38 km N of Cat Lake, ON	Seismic
2022-11-24 14:43:26	51.9631	-91.8298	2	2.35	27 km N of Cat Lake, ON	Seismic
2022-11-24 09:48:11	52.0409	-91.8335	2	2.4	36 km N of Cat Lake, ON	Seismic
2022-11-23 22:06:03	52.1081	-91.8085	2	1.79	43 km N of Cat Lake, ON	Seismic
2022-11-23 10:13:37	52.0014	-91.9166	2	1.78	32 km NNW of Cat Lake, ON	Seismic
2022-11-23 03:37:17	51.9972	-91.9161	2	1.99	31 km NNW of Cat Lake, ON	Seismic
2022-11-22 23:29:34	51.9103	-91.9804	2	2.37	24 km NNW of Cat Lake, ON	Seismic

2022-11-22 17:52:48	51.9949	-91.9166	2	1.85	31 km NNW of Cat Lake, ON	Seismic
2022-11-22 16:24:28	51.9543	-91.9655	2	2.48	28 km NNW of Cat Lake, ON	Seismic
2022-11-22 15:55:25	52.1377	-91.7961	2	2.01	46 km N of Cat Lake, ON	Seismic
2022-11-22 13:49:05	51.9692	-91.9964	2	2.98	30 km NNW of Cat Lake, ON	Seismic
2022-11-22 11:29:22	51.9303	-91.9551	2	2.67	25 km NNW of Cat Lake, ON	Seismic
2022-11-22 03:51:16	52.0507	-91.8849	2	2.02	37 km N of Cat Lake, ON	Seismic
2022-11-18 10:33:22	50.8122	-93.3821	5	2.43	22 km NNW of Ear Falls, ON	Seismic
2022-11-09 15:13:21	49.1592	-92.0837	5	1.73	42 km SW of Ignace, ON	Seismic
2022-11-04 17:09:14	50.2201	-92.57	5	1.64	28 km WNW of Lac Seul, ON	Seismic
2022-11-03 02:01:44	49.2382	-91.752	5	1.97	21 km SSW of Ignace, ON	Seismic
2022-09-22 16:10:40	50.2479	-94.5881	2	1.9	28 km ENE of Wabaseemoong, ON	Seismic
2022-09-02 21:49:54	51.2981	-91.9633	2	2.12	29 km WNW of Slate Falls, ON	Seismic
2022-08-25 20:42:56	47.6748	-90.4237	5	2.22	88 km SW of Gillies, ON	Seismic
2022-08-20 04:18:24	50.0609	-94.1218	2	1.87	13 km SW of English River, ON	Seismic
2022-08-15 07:51:00	49.6414	-91.0753	5	1.5	49 km ENE of Ignace, ON	Seismic
2022-08-14 21:24:27	50.8804	-90.2483	2	1.74	22 km S of Osnaburgh 63A, ON	Seismic
2022-08-12 04:59:46	50.8685	-90.255	2.5	2.51	24 km S of Osnaburgh 63A, ON	Seismic
2022-07-21 20:41:51	50.2484	-92.2575	2	1.84	15 km NNW of Lac Seul, ON	Seismic
2022-07-17 07:08:21	50.4548	-91.9293	2	1.32	39 km N of Sioux Lookout, ON	Seismic
2022-07-16 05:37:39	49.4227	-90.95	5	1.55	51 km E of Ignace, ON	Seismic
2022-07-16 02:54:57	49.2445	-91.6704	2	1.95	19 km S of Ignace, ON	Seismic
2022-07-14 02:12:06	50.2454	-92.2776	2	1.74	15 km NNW of Lac Seul, ON	Seismic
2022-07-08 02:58:49	50.2506	-92.4502	2	1.17	23 km NW of Lac Seul, ON	Seismic
2022-06-28 17:16:37	49.6812	-91.1175	2	2.24	49 km NE of Ignace, ON	Seismic
2022-06-26 22:02:09	49.6669	-91.08	5	1.7	50 km NE of Ignace, ON	Seismic
2022-06-26 06:56:30	49.6669	-91.0959	5	1.64	49 km NE of Ignace, ON	Seismic
2022-06-25 10:57:48	49.6919	-91.0692	5	1.64	52 km NE of Ignace, ON	Seismic
2022-06-22 05:25:16	49.6961	-91.0876	2.3	2.88	52 km NE of Ignace, ON	Seismic
2022-06-22 05:20:59	49.6942	-91.0873	1.5	3.11	52 km NE of Ignace, ON	Seismic
2022-06-22 04:36:57	49.6878	-91.0968	2.2	3.28	51 km NE of Ignace, ON	Seismic
2022-06-16 13:40:31	49.6221	-91.8671	5	1.83	28 km NNW of Ignace, ON	Seismic
2022-06-08 00:37:29	50.1657	-94.0647	2	2.12	5 km WNW of English River, ON	Seismic

2022-06-06 08:36:16	51.2963	-91.6919	2	1.88	17 km NNW of Slate Falls, ON	Seismic
2022-05-18 10:59:51	51.1097	-88.18	18	1.9	53 km SSW of Fort Hope, ON	Seismic
2022-05-07 08:26:35	48.7172	-93.9502	5	2.08	7 km NNW of Manitou Rapids, ON	Seismic
2022-05-05 06:30:54	51.3301	-90.9645	2	1.88	52 km WNW of Osnaburgh 63B, ON	Seismic
2022-05-01 02:26:50	49.7662	-91.7765	2	1.69	38 km SSE of Sioux Lookout, ON	Seismic
2022-04-19 10:15:24	49.0296	-91.9534	2	1.53	39 km NW of Atikokan, ON	Seismic
2022-04-19 00:09:13	49.0465	-91.9459	2	1.46	40 km NW of Atikokan, ON	Seismic
2022-04-18 23:48:45	49.0353	-91.9528	2	1.61	40 km NW of Atikokan, ON	Seismic
2022-04-18 23:47:00	49.036	-91.9431	2	1.58	39 km NW of Atikokan, ON	Seismic
2022-03-17 10:05:58	52.0318	-92.5855	2	2.17	63 km WNW of Cat Lake, ON	Seismic
2022-03-07 06:47:52	49.1519	-91.6143	5	1.24	29 km S of Ignace, ON	Seismic
2022-02-09 01:54:14	50.1544	-88.9658	5	1.84	19 km SSE of Whitesand, ON	Seismic
2022-02-07 08:58:35	47.4918	-90.7449	5	2.15	93 km ESE of Ely, MN	Seismic
2022-01-27 05:51:06	50.262	-88.7498	5	2.3	22 km ESE of Whitesand, ON	Seismic
2022-01-23 20:20:44	49.1635	-91.2257	2	1.81	42 km SE of Ignace, ON	Seismic
2022-01-10 15:26:55	52.0808	-92.5672	2	2.34	57 km SSE of North Spirit Lake, ON	Seismic
2022-12-18 13:47:42	51.0506	-93.7329	1.7	2.11	Red Lake Mine, ON	MiningEvent
2022-11-27 14:06:24	51.0506	-93.7329	1.16	2.29	Red Lake Mine, ON	MiningEvent
2022-10-09 00:09:09	51.08	-93.82	1	1.91	6 km WNW of Golden, ON	MiningEvent
2022-08-25 06:53:29	49.169	-89.611	0.77	2.04	Lac des Iles Mine, ON	MiningEvent
2022-08-25 06:27:21	49.169	-89.611	0.77	2.15	Lac des Iles Mine, ON	MiningEvent
2022-08-14 06:06:02	51.0505	-93.7329	1.49	1.66	Red Lake Mine, ON	MiningEvent
2022-08-03 23:40:32	51.0508	-93.733	1.35	2.59	Red Lake Mine, ON	MiningEvent
2022-07-29 12:13:21	49.169	-89.611	0.71	1.94	Lac des Iles Mine, ON	MiningEvent
2022-05-16 01:22:38	49.169	-89.611	0.34	1.56	Lac des Iles Mine, ON	MiningEvent
2022-05-10 21:24:27	51.076	-93.809	0.85	2.45	5 km WNW of Golden, ON	MiningEvent
2022-02-23 04:12:30	51.0688	-93.8204	0.77	1.97	6 km WNW of Golden, ON	MiningEvent
2022-02-02 05:14:35	49.169	-89.611	0.65	1.29	Lac des Iles Mine, ON	MiningEvent
2022-01-17 15:09:40	49.169	-89.611	0.85	1.92	Lac des Iles Mine, ON	MiningEvent
2022-01-09 08:46:52	51.076	-93.809	1.85	2.02	5 km WNW of Golden, ON	MiningEvent
2021-12-29 06:15:38	49.17	-89.61	1.05	2.14	Lac des Iles Mine, ON	MiningEvent
2022-12-13 17:02:25	48.6343	-88.5951	0	1.7	12 km E of Shuniah, ON	Blast

2022-12-06 11:44:46	51.0506	-93.7329	1.05	2.02	Red Lake Mine, ON	Blast
2022-11-24 20:32:37	48.544	-88.7508	0	2.04	10 km S of Shuniah, ON	Blast
2022-11-24 17:23:37	49.2058	-88.1675	0	2.25	23 km NNE of Nipigon, ON	Blast
2022-10-18 21:32:49	49.712	-95.126	0	2	11 km N of Shoal Lake (Part) 39A, ON	Blast
2022-09-01 10:54:46	51.0505	-93.7329	1.48	1.71	Red Lake Mine, ON	Blast
2022-08-26 16:48:16	50.244	-93.1794	0	1.85	16 km S of Wabauskang, ON	Blast
2022-08-02 15:19:21	48.5379	-89.2904	0	2.67	7 km SE of Lappe, ON	Blast
2022-06-27 22:00:45	49.169	-89.611	0	1.81	Lac des Iles Mine, ON	Blast
2022-06-27 21:43:49	49.169	-89.611	1.05	1.73	Lac des Iles Mine, ON	Blast
2022-06-25 10:52:44	51.0508	-93.733	1.22	1.48	Red Lake Mine, ON	Blast
2022-06-25 10:51:24	51.0508	-93.733	1.5	1.81	Red Lake Mine, ON	Blast
2022-06-24 21:46:44	49.169	-89.611	1.1	1.77	Lac des Iles Mine, ON	Blast
2022-06-11 10:26:40	49.169	-89.611	1.06	1.5	Lac des Iles Mine, ON	Blast
2022-06-05 16:06:45	48.833	-94.012	0	2.27	Rainy River Mine, ON	Blast
2022-05-31 14:57:22	48.7803	-93.961	0	2.19	7 km SSE of Rainy River Mine, ON	Blast
2022-05-29 16:42:22	50.065	-94.1321	0	1.68	13 km SW of English River, ON	Blast
2022-05-16 11:07:57	51.0508	-93.733	1.25	1.75	Red Lake Mine, ON	Blast
2022-05-13 22:07:43	49.169	-89.611	1.05	1.7	Lac des Iles Mine, ON	Blast
2022-05-13 22:07:02	49.169	-89.611	0.29	1.87	Lac des Iles Mine, ON	Blast
2022-05-07 20:00:59	48.833	-94.012	0	2.1	Rainy River Mine, ON	Blast
2022-04-19 21:00:31	48.4732	-89.1916	0	2.06	10 km NE of Thunder Bay, ON	Blast
2022-02-23 23:46:07	51.051	-93.733	1.15	1.83	Red Lake Mine, ON	Blast
2022-02-02 00:37:53	49.169	-89.611	0.57	2.02	Lac des Iles Mine, ON	Blast
2022-01-26 17:57:03	47.57	-92.5876	0	2.5	6 km NW of Virginia, MN	Blast
2022-01-26 17:36:59	47.5505	-92.6051	0	2.43	6 km WNW of Virginia, MN	Blast

